Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33	persistence near5 policy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:18
S1	0	((monitor\$4 Determin\$4) near10 (performanace)) and @ad<"19991126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:15
S2	41649	((monitor\$4 Determin\$4) near10 (performance)) and @ad<"19991126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:57
S3	63	(((monitor\$4 Determin\$4) near10 (performance)) and @ad<"19991126") and (((minimiz\$4) near3 (delay))and (provide\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:13
S4	13	((((monitor\$4 Determin\$4) near10 (performance)) and @ad<"19991126") and (((minimiz\$4) near3 (delay))and (provide\$2))) and agent\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:17
S5	7	((((monitor\$4 Determin\$4) near10 (performance)) and @ad<"19991126") and (((minimiz\$4) near3 (delay))and (provide\$2))) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 10:55
S6	65027	((monitor\$4 Determin\$4) near10 (performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:13
S 7	668	(((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:05
S8	0	((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and ((acqur\$4 extract\$4) near5 (Cpu adj load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:15
S 9	0	((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and ((acquir\$4 extract\$4) near5 (Cpu adj load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:15
S10	0	((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and ((acquir\$4) near5 ((CPU processor) adj load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:16
S11	0	((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and ((acquir\$4) near1 ((CPU processor) adj load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 11:16
S12	51	((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and (CPU processor) adj (load performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2004/01/28 11:17

S13	13	((((monitor\$4 Determin\$4) near10 (performance)) and @ad<"19991126") and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))) and agent\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:16
S14	34	(((monitor\$4 Determin\$4) near10 (performance)) and @ad<"19991126") and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:05
S15	22	(((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and (program adj code\$4)) and (agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:13
S16	0	Moblie adj agent\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:13
S17	576	Mobile adj agent\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:13
S18	239	(Mobile adj agent\$4) and @ad<"19991126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:13
S19	0	((Mobile adj agent\$4) and @ad<"19991126") and((monitor\$4 Determin\$4) near10 (performanace))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2004/01/28 13:14
S20	12	((Mobile adj agent\$4) and @ad<"19991126") and((monitor\$4 Determin\$4) near10 (performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:41
S21	3	(Mobile adj agent\$4) and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:26
S22	0	((mobile and inteeligent and software) adj (agent\$))and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))and((monitor\$4 Determin\$4) near10 (performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:27
S23	0	((mobile and intelligent and software) adj (agent\$))and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))and((monitor\$4 Determin\$4) near10 (performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:54
S24	59	((mobile and intelligent and software) adj (agent\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 13:43
S25	2	((mobile intelligent software) adj (agent\$))and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))and((monitor\$4 Determin\$4) near10 (performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 14:21
S26	658	((mobile intelligent software) adj (agent\$))and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:28

00=			Tuo	105	1 000	
S27	1	(((mobile intelligent software) adj (agent\$))and "709"/\$.ccls.) and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))and((monitor\$4 Determin\$4) near10 (performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 14:00
S28	10	Dynamic adj mobile adj agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 14:00
S29	2	"5809512".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:02
S30	30729	(Message) with (data and (program code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:03
S31	11528	(Message)near3 (data and (program code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:07
S32	0	(((Message)near3 (data and (program code))) and ((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay)))) and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:07
S33	62	((Message)near3 (data and (program code))) and ((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:05
S34	2947	(Message)near3 (data near2 (program code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2004/01/28 16:56
S35	9	((Message)near3 (data near2 (program code))) and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:08
S36	15	(((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and (CPU processor) adj (load performance)) and agent\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:16
S37	93	(((((monitor\$4 Determin\$4) near10 (performance))) and ((minimiz\$4) near3 (delay))) and (program adj code\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:18
S38	1089	((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON =	2004/01/28 16:49
S39	0	(((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))) and ((mobile and inteeligent and software) adj (agent\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:27
S40	0	(((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))) and ((mobile and intelligent and software) adj (agent\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:28

10	(((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))) and((mobile intelligent software) adj (agent\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/29 08:32
581	(((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))) and @ad<"19991126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:34
50	((((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))) and @ad<"19991126") and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:43
2	"5457797".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:45
0	"5457797".pn. and((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:45
	"5774660".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2004/01/28 16:46
2	"6026425".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2004/01/28 16:47
2	"6209018".pn.		OR	ON	2004/01/28 16:48
		USPAT; EPO; JPO; DERWENT; IBM_TDB	*		
5714	709/105,220,225,226,224.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR /	ON	2005/02/28 10:59
32	709/105,220,225,226,224.ccls. and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2004/01/28 16:49
0	709/105,220,225,226,224.ccls. and((mobile and intelligent and software) adj (agent\$))and ((acquir\$4) near5 ((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))and((monitor\$4 Determin\$4) near10 (performance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2004/01/28 16:55
0	709/105,220,225,226,224.ccls. and((mobile and intelligent and software) adj (agent\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2004/01/28 16:55
177	709/105,220,225,226,224.cds. and((mobile intelligent software) adj (agent\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2004/01/28 16:55
2	(709/105,220,225,226,224.ccls. and((mobile intelligent software) adj (agent\$))) and (Message)near3 (data near2 (program code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:56
	581 50 2 0 2 5714 32	computer\$4 provider\$4 ISP)adj(data information)))) and((mobile intelligent software) adj (agent\$)) 581 ((((acquir\$4) near5 (((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information))))) and (((((acquir\$4) near5 (((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information))))) and (((((acquir\$4) near5 ((((system\$4 network\$2 processor\$4 computer\$4 provider\$4 ISP)adj(data information)))) 2 "5457797".pn. and((((((acquir\$4) near5 ((((((((((((((((((((((((((((((((((((Computer\$4 provider\$4 isP)adj(data information)))	Computer\$4 provider\$4 ISP)ad((data information))))	Computer\$4 provider\$4 IsP adj(data information)))

S55	82	(709/105,220,225,226,224.ccls. and((mobile intelligent software) adj (agent\$))) and @ad<"19991126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 16:57
S56	4	"580952".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/29 08:32
S57	2	"5809512".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/29 16:43
S58	2	"6678715".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:15
S59	1478	(trans\$5) near3 (size) near10 (information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:21
S60	914	(trans\$5) near3 (size) near3 (information)	US-PGPUB;	OR.	ON	2004/11/17 16:21
		- Sec	USPAT; EPO; JPO;	×		
			DERWENT; IBM_TDB	- a		
S61	498	(trans\$5) near2 (size) near2 (information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:22
S62	14	(trans\$5) near2 (size) near2 (CPU system) near2 (information)	US-PGPUB;	OR	ON	2004/11/18 07:30
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S63	7	(Partition\$5 break\$5 breakdown fregment\$5) near3 ((packet) (data adj packet) (information adj packet)) near5 (before prior) near3 (send\$5 transmit\$5) and (size system network) near10 (characteristic information data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 07:49
S64	0	(Partition\$5 break\$5 breakdown fregment\$5) near3 ((packet) (data adj packet) (information adj packet)) near5 (before prior) near3 (send\$5 transmit\$5) near10 (based depend\$5) near10 (size system network) near10 (characteristic information data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 07:52
S65	7	(Partition\$5 break\$5 breakdown fregment\$5) near3 ((packet) (data adj packet) (information adj packet)) near5 (before prior) near3 (send\$5 transmit\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 07:52
S66	2	"6421733".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/02/28 12:25
S67	80	709/105,220,225,226,224.ccls. and (transcod\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 10:59

S68	194	709/105,220,225,226,224,217,246.ccls. and (transcod\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 11:00
S69	2	"5768385".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 12:26